








# Controllers



| Zone  |                   |  |    |         |
|---|-------------------|--|----|---------|
|    | Zone 4            | 4 Zone Signal-Processor, Presets for Optimal Audio Speakers, 2x Mic-In (+48V), 4x Line-In (Stereo), 2x HDMI-In, 2x Paging-In, 19", 2HE | C3 | 1'215.- |
|   | Zone 4P           | Dito, 4x 100W@4Ω/8Ω, 2x 200W @70V (bridge)   | C3 | 1'795.- |
|    | Zone 8            | 8 Zone Signal-Processor, Presets for Optimal Audio Speakers, 2x Mic-In (+48V), 4x Line-In (Stereo), 2x HDMI-In, 2x Paging-In, 19", 2HE | C3 | 1'540.- |
|   | Zone 8P           | Dito, 8x 100W@4Ω/8Ω, 4x 200W @70V (bridge)   | C3 | 2'670.- |
|    | ZonePad 1         | Single Zone Wall Controller, 1x Mic-In (+48V), 1x Line-In (Mono)   | C3 | 295.-   |
|    | ZonePad 4         | 4 Zone Wall Controller   | C3 | 295.-   |
| ZonePad - Accessories   |                   |  |    |         |
|   | Cavity Wall Box   | Fixing to plasterboard wall  | C3 | 8.-     |
|  | Solid Wall Box    | Metal back box for flush mounting  | C3 | 10.-    |
|  | Surface Mount Box | Surface mounting plastic box   | C3 | 10.-    |

# Loudspeakers






| Ceiling   |             |   |    |       |
|---|-------------|---|----|-------|
|    | Up 3        | Full-Range, passive, ceiling speaker, 3", 20W AES @8Ohm, 3.8/7.5/15@100V, frequency response 95Hz-15kHz +/- 3dB, max. SPL 97dB, 130° conical, cut out 170mm, Ø 202mm x (D)145mm, 1.6Kg            | C3 | 110.- |
|    | Up 40       | Full-Range, passive, ceiling speaker, 4", 10W AES @8Ohm, 1.5/3/6@100V, frequency response 87Hz-15kHz +/- 3dB, max. SPL 100dB, 130° conical, cut out 175mm, Ø 202mm x (D)95mm, 1.3Kg               | C3 | 75.-  |
|    | Up 4S       | 2-way, passive, ceiling speaker, LF: 4" / HF: 1", 15W AES @8Ohm, 2/4/8@100V, frequency response 110Hz-18kHz +/- 3dB, max. SPL 98dB, 150° conical, cut out 175mm, Ø 202mm x (D)122mm, 2.2Kg        | C3 | 155.- |
|    | Up 4        | 2-way, passive, ceiling speaker, LF: 4" / HF: 1", 30W AES @8Ohm, 6.3/12.5/25@100V, frequency response 100Hz-18kHz +/- 3dB, max. SPL 102dB, 120° conical, cut out 175mm, Ø 202mm x (D)206mm, 2.2Kg | C3 | 170.- |
|   | UP 6        | 2-way, passive, ceiling speaker, LF: 6.5" / HF: 1", 60W AES @16Ohm, 15/30/60@100V, frequency response 115Hz-18kHz +/- 3dB, max. SPL 108dB, 110° conical, cut out 220mm, Ø 251mm x (D)194mm, 3Kg   | C3 | 195.- |
|  | UP 60       | 2-way, passive, ceiling speaker, LF: 6.5" / HF: 1", 60W AES @16Ohm, 15/30/60@100V, frequency response 65Hz-18kHz +/- 3dB, max. SPL 108dB, 110° conical, cut out 220mm, Ø 251mm x (D)104mm, 2.2Kg  | C3 | 150.- |
| Accessories   |             |   |    |       |
|  | Up P1-B     | Pendant accessory kit for Up 3 / Up 4(S), without mounting (cable)  | C3 | 60.-  |
|   | Up P1-W     | Dito, <b>white</b>  | C3 | 60.-  |
|   | Up P2-B     | Dito, for Up 6, <b>black</b>  | C3 | 70.-  |
|   | Up P2-W     | Dito, <b>white</b>  | C3 | 70.-  |
|  | Up G1-B     | Bezel-less grille accessory kit for all Up 3 / Up 4   | C3 | 25.-  |
|   | Up G1-W     | Dito, <b>white</b>  | C3 | 25.-  |
|   | Up G2-B     | Dito, for all Up 6, <b>black</b>  | C3 | 30.-  |
|   | Up G2-W     | Dito, <b>white</b>  | C3 | 30.-  |
|  | GEB-180T150 | Einbetoniergehäuse mit Einbauöffnung 180mm, Höhe Innen 150mm, Höhe Aussen 165mm, Gewicht 1'160 Gr.<br><u>Passend zu:</u> Optimal Audio Up 40  | C3 | 75.-  |
|   | GEB-225T180 | Einbetoniergehäuse mit Einbauöffnung 225mm, Höhe Innen 180mm, Höhe Aussen 195mm, Gewicht 1'350 Gr.<br><u>Passend zu:</u> Optimal Audio Up 60  | C3 | 75.-  |

| On-wall   |                    |   |    |       |
|---|--------------------|---|----|-------|
|    | <b>Cuboid 3B</b>   | 2-way, passive speaker, LF: 3.5" / HF: 0.5", 30W AES @80hm, frequency response 125Hz-20kHz +/- 3dB, max. SPL 98dB, 130° hor. / 120° vert, M4 inserts, (W)120mm x (H)190mm x (D)118mm, 1.3Kg, incl. wall bracket   | C3 | 75.-  |
|   | <b>Cuboid 3W</b>   | Dito, <b>white</b>  | C3 | 75.-  |
|   | <b>Cuboid 3TXB</b> | Dito, 5/7.5/10/15W@100V, 2.6Kg, <b>black</b>  | C3 | 95.-  |
|   | <b>Cuboid 3TXW</b> | Dito, <b>white</b>  | C3 | 95.-  |
|    | <b>Cuboid 5B</b>   | 2-way, passive speaker, LF: 5.25" / HF: 0.75", 50W AES @80hm, frequency response 97Hz-20kHz +/- 3dB, max. SPL 105dB, 150° hor. / 100° vert, M4 inserts, (W)155mm x (H)255mm x (D)150mm, 2.5Kg, incl. wall bracket | C3 | 110.- |
|   | <b>Cuboid 5W</b>   | Dito, <b>white</b>  | C3 | 110.- |
|   | <b>Cuboid 5TXB</b> | Dito, 5/7.5/10/15W@100V, 2.6Kg, <b>black</b>  | C3 | 130.- |
|   | <b>Cuboid 5TXW</b> | Dito, <b>white</b>  | C3 | 130.- |
|   | <b>Cuboid 6B</b>   | 2-way, passive speaker, LF: 6.5" / HF: 1", 60W AES @80hm, frequency response 90Hz-20kHz +/- 3dB, max. SPL 107dB, 130° hor. / 120° vert, M4 inserts, (W)200mm x (H)320mm x (D)190mm, 3.8Kg, incl. wall bracket     | C3 | 175.- |
|   | <b>Cuboid 6W</b>   | Dito, <b>white</b>  | C3 | 175.- |
|   | <b>Cuboid 6TXB</b> | Dito, 7.5/15/30/60W@100V, <b>black</b>  | C3 | 210.- |
|   | <b>Cuboid 6TXW</b> | Dito, <b>white</b>  | C3 | 210.- |
|  | <b>Cuboid 8</b>    | 2-way, passive speaker, LF: 8" / HF: 1", 200W AES @80hm, frequency response 90Hz-18kHz +/- 3dB, max. SPL 115dB, 90° hor. / 50° vert, (user-rotatable), M8 inserts, (W)256mm x (H)422mm x (D)261mm, 10Kg           | C3 | 475.- |
|   | <b>Cuboid 10</b>   | 2-way, passive speaker, LF: 10" / HF: 1", 250W AES @80hm, frequency response 65Hz-20kHz +/- 3dB, max. SPL 120dB, 90° hor. / 50° vert, (user-rotatable), M8 inserts, (W)322mm x (H)524mm x (D)326mm, 16Kg          | C3 | 640.- |
|   | <b>Cuboid 12</b>   | 2-way, passive speaker, LF: 12" / HF: 1", 300W AES @80hm, frequency response 62Hz-20kHz +/- 3dB, max. SPL 123dB, 80° hor. / 50° vert, (user-rotatable), M8 inserts, (W)360mm x (H)575mm x (D)392mm, 20Kg          | C3 | 740.- |
|   | <b>Cuboid 15</b>   | 2-way, passive speaker, LF: 15" / HF: 1", 500W AES @80hm, frequency response 58Hz-18kHz +/- 3dB, max. SPL 126dB, 80° hor. / 50° vert, (user-rotatable), M8 inserts, (W)426mm x (H)691mm x (D)416mm, 28Kg          | C3 | 995.- |








## Subwoofers

|   |         |   |    |         |
|---|---------|---|----|---------|
|  | Sub 6-B | Low-profile subwoofer, 6", 250W AES @80hm, frequency response 41Hz-200Hz +/- 3dB, max. SPL 112dB, M8 inserts, (W)200mm x (H)310mm x (D)400mm, 11.5Kg  | C3 | 430.-   |
|   | Sub 6-W | Dito, <b>white</b>  | C3 | 430.-   |
|  | Sub 10  | Low-profile subwoofer, 10", 250W AES @80hm, frequency response 50Hz-150Hz +/- 3dB, max. SPL 121dB, M8 inserts, (W)470mm x (H)297mm x (D)353mm, 12.9Kg | C3 | 565.-   |
|   | Sub 15  | Low-profile subwoofer, 15", 500W AES @80hm, frequency response 45Hz-150Hz +/- 3dB, max. SPL 129dB, M8 inserts, (W)716mm x (H)443mm x (D)480mm, 34.3Kg | C3 | 1'065.- |

## On-wall - Accessories

|   |          |  |    |       |
|---|----------|--|----|-------|
|    | UB1-B    | U bracket for Cuboid 8, <b>black</b>                       | C3 | 215.- |
|   | UB2-B    | Dito, Cuboid 10  | C3 | 220.- |
|   | UB3-B    | Dito, Cuboid 12  | C3 | 240.- |
|   | UB4-B    | Dito, Cuboid 15  | C3 | 270.- |
|   | WB1-B    | Wall bracket for Cuboid 8, <b>black</b>                    | C3 | 75.-  |
|   | WB2-B    | Dito, Cuboid 10 – 12                                       | C3 | 90.-  |
|   | WB3-B    | Dito, Cuboid 15  | C3 | 195.- |
|  | SB1-B    | Wall bracket, Sub 6 – 10, <b>black</b>                     | C3 | 60.-  |
|   | SB1-W    | Dito, <b>white</b>   | C3 | 60.-  |
|  | CIPKIT-B | Weatherized rear panel connector cover, Cuboid 3 – 5, IP54 | C3 | 15.-  |
|   | CIPKIT-W | Dito, <b>white</b>   | C3 | 15.-  |
|  | CK3      | 3m cable with carabiner, UP P1 – UP P2                     | C3 | 15.-  |

# Amplifiers

| SmartAmp  |             |   |           |         |
|---|-------------|---|-----------|---------|
|    | SmartAmp 10 | 2x 125W@4Ω/8Ω/16Ω/100V, Presets for Optimal Audio Speakers, GPIO, 1.9Kg, 1/2 Rack | C3        | 895.-   |
|    | SmartAmp 20 | Dito, 4x 125W@4Ω/8Ω/16Ω/100V, 2.4Kg   | C3        | 1'340.- |
|    | SmartAmp 30 | Dito, 4x 250W@4Ω/8Ω/16Ω/100V, 19", 3.6Kg  | C3        | 1'795.- |
|    | Amp 100     | 2x 350W@4Ω, 2x 250W@8Ω, Jack/XLR combo inputs, Speakon 14.7Kg, 2HE                | <u>C3</u> | 625.-   |
|   | Amp 200     | Dito, 700W@4Ω, 400W@8Ω, 17Kg  | <u>C3</u> | 825.-   |
|   | Amp 300     | Dito, 1350W@4Ω, 800W@8Ω, 20Kg   | <u>C3</u> | 1'055.- |
| SmartAmp - Accessories  |             |   |           |         |
|   | RACKKITA    | Rack ears and couplings for SmartAmp 10, 20, <b>black</b>                         | C3        | 40.-    |
|  | RACKKITB    | SmartAmp Rear Rack support kit, <b>black</b>                                      | C3        | 40.-    |
|  | WALLMNT     | Wall /desktop mount kit for SmartAmp, <b>black</b>                                | C3        | 35.-    |

Ersetzt alle bisherigen Preislisten.  
Remplace et annule les précédentes listes de prix.

Artikel mit **grau unterlegtem Händlercode** sind Neuheiten oder haben eine Preisänderung erfahren.  
Articles avec **code client gris** sont des nouveautés ou ont changé de prix.

Bei Artikeln mit **unterstrichenem Händlercode** bitte Verfügbarkeit anfragen!  
Articles avec code client **souligné** demandez leur disponibilité!